

Product Information: Jevity® 1 Cal

For more information, contact your Abbott Nutrition sales representative or visit
www.abbottnutrition.ca

Jevity® 1 Cal

Isotonic liquid formula with fibre

Usage

- 1 Jevity® 1 Cal is an isotonic, fibre-fortified, high-protein liquid formula. It provides complete, balanced nutrition for people requiring short- or long-term tube feeding. Dietary fibre helps people maintain normal bowel function.
- 1 For supplemental or as a sole source of nutrition.
- 1 May be used for oral feeding of people with altered taste perception.

Features

- 1 High in protein (16.6% of Cal). Protein is needed for lean body tissue maintenance and repair.
- 1 Provides 14 g of total dietary fibre/L. Dietary fibre helps maintain normal bowel function and may be useful in the dietary management of diarrhea and constipation.
- 1 Isotonic formula is beneficial for those intolerant to hyperosmolar feedings, reducing the potential for osmotic diarrhea.
- 1 Gluten-free.
- 1 Kosher.
- 1 Halal.



Safety Precautions

- 1 Not for parenteral use.

Ingredients

Liquid Unflavored:

Water, Corn Maltodextrin, Corn Syrup Solids, Sodium Caseinate, Soy Cotyledon Fibre, High Oleic Safflower Oil, Canola Oil, Soy Protein, Modified Coconut and/or Palm Kernel Oils (Medium Chain Triglycerides), Calcium Caseinate, Soy Lecithin, Carrageenan, Taurine, L-Carnitine, MINERALS (Tricalcium Phosphate, Potassium Citrate, Magnesium Chloride, Sodium Citrate, Potassium Chloride, Magnesium Sulphate, Zinc Sulphate, Ferrous Sulphate, Manganese Sulphate, Cupric Sulphate, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate), VITAMINS (Choline Chloride, Ascorbic Acid, DL-Alpha-Tocopheryl Acetate, Niacinamide, Calcium D-Pantothenate, Citric Acid, Vitamin A Palmitate, Thiamine Chloride Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, D-Biotin, Folic Acid, Phylloquinone, Cyanocobalamin, Vitamin D3), and As Needed: Potassium Hydroxide, Calcium Carbonate, Potassium Phosphate Dibasic, Salt.

Allergens: Contains: Milk, Soy.

Availability

List Number	Item
6224313	Jevity® 1 Cal; 235-mL cans; 24/case

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Nutrition Information - Liquid Unflavored

	100 mL	235 mL
	Value	Value
ENERGY, Cal (kJ)	106 (445)	249 (1046)
Protein, g	4.4	10
Taurine, mg	11	27
Carnitine, mg	11	27
Fat, g	3.6	8.5
Linoleic Acid, g	0.4	0.9
Linolenic Acid, g	0.1	0.2
Carbohydrate, g	15	36
Fibre, g	1.4	3.3
Water, g	83	195
Vitamin A, IU	381	895
Vitamin D, IU	31	73
Vitamin E, IU	3.4	8
Vitamin K, mg	0.0055	0.013
Vitamin C, mg	23	54
Thiamine, mg	0.17	0.4
Riboflavin, mg	0.19	0.45
Niacin, mg	2.3	5.4
Vitamin B6, mg	0.23	0.54
Folic Acid, mg	0.046	0.11
Vitamin B12, mg	0.0007	0.0017
Pantothenic Acid, mg	1.1	2.7
Biotin, mg	0.034	0.08
Choline, mg	45	106
Sodium, mg	74	174
Potassium, mg	124	291
Chloride, mg	115	270
Calcium, mg	91	214
Phosphorus, mg	76	179
Magnesium, mg	30	71
Iron, mg	1.4	3.2
Zinc, mg	1.7	4
Iodine, mg	0.012	0.027
Copper, mg	0.15	0.35
Manganese, mg	0.38	0.89
Selenium, mg	0.0053	0.013
Chromium, mg	0.0084	0.02
Molybdenum, mg	0.011	0.027

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Product Characteristics

	Value
Caloric Density (Cal/mL)	1.06
Protein (% of total energy)	16.6
Protein Source	Sodium caseinate, soy protein
Fat (% of total energy)	30.1
MCT oil (% of total fats)	19.1
Omega-6:Omega-3 Ratio	5.5:1
Fat Source	High oleic safflower oil, canola oil, MCT oil, soy lecithin
Carbohydrate (% of total energy)	53.3
Carbohydrate Source	Corn maltodextrin, corn syrup solids, soy cotyledon fibre
Total Cal:g Nitrogen Ratio	153:1
Nonprotein Cal:g Nitrogen Ratio	128:1
Water (g/L)	831
Osmolality (mOsm/kg water)	311
Renal Solute Load (mOsm/L)	347
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/8
Fibre	Yes

Preparation

Instructions for Use:

- 1 Store unopened at room temperature. Shake well and clean top of can thoroughly before opening. Once opened, store covered in refrigerator and use within 48 hours.

Tube Feeding

- 1 Follow health care professional instructions for flow rate, volume and need for additional fluids.
- 1 Care should be taken to avoid contamination of this product during preparation and administration.