Product Information: Pedialyte® Powder Sticks

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co. Saint-Laurent, Quebec, Canada H4S 1Z6 1-866-767-7411



¹ of 3

Pedialyte® Powder Sticks

Oral rehydration solution for all ages

Usage

Pedialyte® is specially formulated to help prevent dehydration in children and adults by replenishing fluids and electrolytes lost during diarrhea and vomiting. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

Features

- 1 #1 doctor and pharmacist recommended brand.
- 1 When mixed with 250 mL of water:
 - contains the optimal balance of sodium and sugar recommended by experts^{1,2} to help prevent dehydration due to diarrhea and vomiting
 - o promotes fluid absorption more effectively than common household beverages.
- 1 Convenient powder format.
- 1 Low osmolality.
- 1 2 delicious flavours to encourage compliance.
- 1 Gluten-free.
- 1 Kosher.

Safety Precautions

- 1 Not for parenteral use.
- 1 For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® as infants and young children are at greater risk of dehydration.
- ¹ World Health Organization. Oral Rehydration Salts: Production of the new ORS. 2006.
- ² Leung A, Prince T. Paediatr Child Health. 2006;11(8):527-31.

Ingredients

Powder Apple:

MEDICINAL INGREDIENTS: Dextrose, Citric Acid, Potassium Citrate, Sodium Chloride, Sodium Citrate. NON-MEDICINAL INGREDIENTS: Malic Acid, Artificial Apple Flavour, Caramel Colour, Sucralose, and Acesulfame-Potassium.

Availability

| List Number | Item |
|-------------|---|
| 6647313 | Pedialyte® Powder Sticks, Fruit Punch; 8 x 8.5-g sticks; 8/case |
| 6647413 | Pedialyte® Powder Sticks, Apple; 8 x 8.5-g sticks; 8/case |



For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co. Saint-Laurent, Quebec, Canada H4S 1Z6 1-866-767-7411 2 of 3



Pedialyte® Powder Sticks

Oral rehydration solution for all ages

Nutrition Information - Powder Apple

| | 250 mL (at standard dilution) | |
|-----------------------|-------------------------------|--|
| | Value | |
| ENERGY, Cal (kJ) | 23 (96) | |
| MEDICINAL INGREDIENT: | | |
| Citrate, g (mmol) | 1.15 (6.1) | |
| Sodium, mg (mmol) | 244 (10.6) | |
| Chloride, mg (mmol) | 294 (8.3) | |
| Potassium, mg (mmol) | 184 (4.7) | |
| Dextrose, g | 5.7 | |

Product Characteristics

| | Value |
|---|-------|
| AT STANDARD DILUTION | |
| Caloric Density (Cal/mL) | 0.10 |
| Protein (% of total energy) | 0 |
| Protein Source | N/A |
| Fat (% of total energy) | 0 |
| MCT oil (% of total fats) | N/A |
| Omega-6:Omega-3 Ratio | N/A |
| Fat Source | N/A |
| Carbohydrate (% of total energy) | 100 |
| Carbohydrate Source | N/A |
| Total Cal:g Nitrogen Ratio | N/A |
| Nonprotein Cal:g Nitrogen Ratio | N/A |
| Water (g/L) | 970 |
| Osmolality (mOsm/kg water) | 265 |
| Renal Solute Load (mOsm/L) | 80 |
| Recommended Tube Size for Gravity/Pump Feeding (Fr) | N/A |

Preparation

Directions for Use:

- 1 Store powder sticks at room temperature. Avoid extreme temperatures.
- 1 Reconstitute with water only
- 1 Dissolve entire contents of 4 sticks in 1 L, 2 sticks in 500 mL, or 1 stick in 250 mL of drinking water (to achieve appropriate concentration of medicinal ingredients). If drinking water is not available, use boiled or bottled water to prepare the solution.
- 1 Do not boil the solution after it is prepared.
- 1 Tastes best served cold.
- 1 Refrigerate unused reconstituted product in a sealed container and use within 96 hours.

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

