

Product Information: Similac® 5% Glucose Water

For more information, contact your Abbott Nutrition sales representative or visit
www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co.
Saint-Laurent, Quebec, Canada H4S 1Z6
1-866-767-7411

 **Abbott**

Similac® 5% Glucose Water

Usage

- 1 For oral use.
- 1 Use under medical supervision.

Features

- 1 Ready to use.
- 1 Gluten-free.
- 1 Kosher.
- 1 Halal.



Ingredients

Liquid Unflavored:

Water, and Sugars (dextrose).

Availability

List Number	Item
5100213	Similac® 5% Glucose Water, Ready to Use; 59-mL plastic bottles; 48/case

For more information, contact your Abbott Nutrition sales representative or visit
www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co.
Saint-Laurent, Quebec, Canada H4S 1Z6
1-866-767-7411



Similac® 5% Glucose Water

Nutrition Information - Liquid Unflavored

	59 mL	100 mL	100 Cal	1000 mL
	Value	Value	Value	Value
ENERGY, Cal (kJ)	12 (50)	20 (85)	100 (418)	200 (837)
Protein, g	0	0	0	0
Fat, g	0	0	0	0
Carbohydrate, g	3	5	25	50
Sugars, g	3	5	25	50

Product Characteristics

	Value
Caloric Density (Cal/mL)	0.2
Protein (% of total energy)	0
Protein Source	N/A
Fat (% of total energy)	0
MCT oil (% of total fats)	N/A
Omega-6:Omega-3 Ratio	N/A
Fat Source	N/A
Carbohydrate (% of total energy)	100
Carbohydrate Source	Dextrose
Total Cal:g Nitrogen Ratio	N/A
Nonprotein Cal:g Nitrogen Ratio	N/A
Water (g/L)	966
Osmolality (mOsm/kg water)	N/A
Renal Solute Load (mOsm/L)	N/A
Recommended Tube Size for Gravity/Pump Feeding (Fr)	N/A

Liquid Unflavored Footnotes & References

Per 59 mL

* Not a significant source of saturated fat, trans fat, cholesterol, fibre, sodium, potassium, calcium and iron. 5% or less is a little, 15% or more is a lot.

Per 100 mL

* Not a significant source of saturated fat, trans fat, cholesterol, fibre, sodium, potassium, calcium and iron. 5% or less is a little, 15% or more is a lot.

Preparation

Directions for Use:

- 1 Do not use if breakaway ring is missing or broken.
- 1 Use as directed by a health care professional.
- 1 Store unopened at room temperature. Avoid extreme temperatures.
- 1 Always wash hands thoroughly with soap and water when preparing infant feedings.
 - 1 Twist off cap,
 - 1 Twist on nipple and ring.
- 1 Once feeding begins, use within 1 hour or discard.

For more information, contact your Abbott Nutrition sales representative or visit
www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co.
Saint-Laurent, Quebec, Canada H4S 1Z6
1-866-767-7411

