

Product Information: Similac® Sterilized Water

Similac® Sterilized Water

Sterilized, demineralized water

Usage

- 1 For use as drinking water or for other oral or enteral purposes.
- 1 Use under medical supervision.

Features

- 1 Ready to use.
- 1 Kosher.
- 1 Halal.
- 1 Gluten-free.

Safety Precautions

- 1 Not for parenteral use.



Ingredients

Liquid Unflavored:

Water, and Flouride Ions: 0 ppm.

Availability

List Number	Item
5100013	Similac® Sterilized Water, Ready to Use; 59-mL plastic bottles; 48/case
5803713	Similac® Sterilized Water, Ready to Use; 1-L recloseable plastic bottles; 8/case

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Similac® Sterilized Water

Sterilized, demineralized water

Nutrition Information - Liquid Unflavored

	59 mL	1000 mL
	Value	Value
Calories	0	0
Fat, g	0	0
Carbohydrate, g	0	0
Protein, g	0	0
Water, mL	59	1000

Product Characteristics

	Value
Caloric Density (Cal/mL)	N/A
Protein (% of total energy)	N/A
Protein Source	N/A
Fat (% of total energy)	N/A
MCT oil (% of total fats)	N/A
Omega-6:Omega-3 Ratio	N/A
Fat Source	N/A
Carbohydrate (% of total energy)	N/A
Carbohydrate Source	N/A
Total Cal:g Nitrogen Ratio	N/A
Nonprotein Cal:g Nitrogen Ratio	N/A
Water (g/L)	1000
Osmolality (mOsm/kg water)	N/A
Renal Solute Load (mOsm/L)	N/A
Recommended Tube Size for Gravity/Pump Feeding (Fr)	N/A

Liquid Unflavored Footnotes & References

Per 59 mL

* Not a significant source of saturated fat, trans fat, cholesterol, fibre, sugars, sodium, potassium, calcium, and iron. 5% or less is a little, 15% or more is a lot.

Per 1000 mL

* Not a significant source of saturated fat, trans fat, cholesterol, fibre, sugars, sodium, potassium, calcium, and iron. 5% or less is a little, 15% or more is a lot.

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Similac® Sterilized Water

Sterilized, demineralized water

Preparation

Directions for Use:

59 mL bottle

- 1 Do not use if breakaway ring is missing or broken.
- 1 Use as directed by a health care professional.
- 1 Always wash hands thoroughly with soap and water when preparing infant feedings.
 - 1 Twist off cap.
 - 1 Twist on nipple and ring.
- 1 Once feeding begins, use within 1 hour or discard.

Storage & Handling

1L bottle

STORAGE: Once opened, recap, refrigerate and use within 48 hours. Store unopened bottles in a cool place. Avoid excessive heat. Do not reuse bottle. Do not use if tamper band around cap or foil seal is missing or broken.

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca